2021

Box 1-86 (Subject File, Buildings & Grounds-Updates, 1999-2008)

ATS Special Collections and Archives

Indian Springs Holiness Campground
Buildings and Grounds Committee

Dear Sirs, Dec. 15 1999

Enclosed are a few drawings of the Cafeteria in hopes of answering any questions or reservations you may have on raising the roof.

Thinking about this project for many years, being able to look at it every few months, I believe, I have been able to see it from all sides.

Doing this project will cost significantly less than any other alternative. With jacking the roof, moving electric, patching the decking, Rubber roof repair and even installing the AC's, it will cost less than $5,000

Besides raising the money for this task, the only draw back I see is time. With all the other projects I can for see in the near future, it would be nice to have this one behind us. (Having an inside winter project wouldn't be bad either).

At first look, it seems a monumental task but with all the jacking and leveling that has been done on camp, I can confidently say, it is not. I will no doubt take all precautions to insure the safety of the building and myself.

I am in hopes that the board will consider this proposal and my urgency, if you do decide to do this project.

Thank you for your time, looking forward to hearing from you.

Sincerely, IGWT, Winky

PS. If cost is a factor, we can get by with a few hundred to start. Most supplies we have in storage and all tools are on hand.

AC CONDUIT'S AND WIRE WILL HAVE TO BE SHORTENED FOR NEW LOCATIONS

• 3 ADDITIONAL LINES WILL HAVE TO BE DISCONNECTED IN DINNING AREA

(ELECTRIC 1 OF 1)




GUTTER
½" STEEL ROD WELDED TO TRUSS PLATE
INSTALL STEEL BLOCK LINTEL
ORIGINAL DUCTING
8" x 32" x 120" NEW DUCT
AIR RETURN (16" x 32")
LENOX
PRESSURE TREATED DECKING
WELDED
4' x 5' STEEL FRAME (1" x 3" x .0625" U-CHANNEL)
ANCHOR TO WALL
6'-8"

(A.C. 2 OF 2)


CABIN # 83
PORCH
WORKERS DINNING ROOM
AC
AC
AC
AC
28'.0
KITCHEN
SLOP ROOM

(A.C. 1 OF 2)


31 – 14" x 24' Steel Trusses
4' on Center



(BEAM - TRUSS 3 OF 3)



SLIP RING WILL SLIDE
UP POST WHEN ROOF IS
LIFTED


(BEAM - TRUSS 1 OF 3)
WELDED ON BARR TO 4"x5"x1/4" PLATE
WELDED TO BEAM BOTH SIDES OF 4x5"x1/4" PLATE
2 3/8"
5"
3" (+/- 1/4")
2- BACK TO BACK 1 1/2" ANGLE WITH 1/2" BARR BETWEEN
3/8" x 5 1/2" x 16" BEAM
14" x 24' BARR TRUSS
POST